


6-Series
Velocity Adjustable
Breath Guards



Explore

6-SERIES VELOCITY ADJUSTABLE BREATH GUARDS

EASY ADJUSTMENT: Simple push-button mechanism enables single-person adjustment

EIGHT PRE-SET POSITIONS: These accommodate NSF, full-serve, self-serve and cleaning position and ensure consistent spacing across multiple units

VISUAL NSF POSITION INDICATION: Shows when breath guard is in NSF position and eliminates the need for measuring

SEVERAL STYLES: Available in single-sided buffet, double-sided buffet or cafeteria styles

MOUNTING CHOICES: Above-counter flange mount (standard) and below-counter mounting (available)

SHIPPING OPTIONS: Ships knocked down (standard) or assembled (available)

NO PLASTIC: Stainless steel construction ensures no plastic parts to break and a consistent aesthetic of all components

HEAVY-DUTY TUBING: 11-gauge stainless steel tubing enables 96 inch span without the need or a center post

TEMPERED GLASS PANELS: 3/8-inch tempered (standard), 1/2-inch (available)

ADDED STABILITY: Welded mitered joints increase structural integrity



 **USMADE**
OF US & GLOBAL MATERIALS



AutoQuotes


Intertek

Intertek

BIM | CAD | MOBILE



— Eight pre-set positions, promising versatility and consistency, and the simple adjustment mechanism allows one person to make adjustments quickly and easily



Preset NSF Position Marker, No Measuring



<https://www.vollrathfoodservice.com/breathguards>

Visit us online for specification sheets and to learn more about our breath guard product offering.

The Vollrath Company, L.L.C.
1236 North 18th Street
Sheboygan, WI 53081-3201

Main Tel: 920-457-4851
Fax: 800-752-5620 or
920-459-6573

Customer Service: 800-628-0830
Credit: 920-459-5387
Canada Customer Service: 800-695-8560
Technical Services: 800-628-0832

vollrathfoodservice.com